

SPA 2002 W (0130200100) Chip and Dust Extraction Unit
(220-240 V / 50 Hz); Cardboard box

Order no. 0130200100
EAN 4003665398365



Product may differ from Image

- Raw air extraction device, meets the purity and safety requirements of the regulation GS-HO-07
- User protection by means of continuous compliance of only 0.1 mg/m³ residual dust content (dust class M)
- Released for commercial use
- For connection to stationary and semi-stationary woodworking machines
- Optimum ratio of flow and vacuum for maximum performance
- Cyclone technology goes easy on the filter for extended maintenance intervals
- Manometer for monitoring the minimum air volume flow
- Easy and effective filter cleaning, even during operation
- Stable stand with supported chip collection bag
- Wheeled collection container for easy transport of the chips
- Release lever for quick changing of dust sack
- Window for checking fill level of bin
- Comprehensive range of accessories: automatic switch-on devices, filter cartridges, hoses and adapters

Technical data

Characteristics

Dimensions	1178 x 650 x 1973 mm / 3.9 x 2.2 x 6.5 ft
Maximum vacuum	2124 Pa / 0.3 psi
Maximum volume flow	790 m ³ /h / 208696 gal/h
Filter surface	4.1 m ² / 6355 sq.inch
Hose connection Ø	100 mm / 4 "
Chip bag capacity	135 l / 36 gal
Rated input power	1.1 kW
Weight	114 kg / 251 lbs

Noise emission

Sound pressure level 78 dB(A)

Sound power level (LwA) 94 dB(A)

Scope of delivery

Suction hose 100 x 2500 mm