





13 86 200 Pliers for Electrical Installation



- Technical details
- Description
- Applications
- Video

	No.	13 86 200
	EAN	4003773075097
	Head	
	Pliers	chrome plated
	Handles	insulated with multi-component grips, VDE-tested
	Insulation standard	IEC 60900 DIN EN 60900
	Cutting capacity copper cable, multiple-stranded (diameter)	15 Ø mm
	Cutting capacity copper cable, multiple-stranded	50 mm ²
	Stripping capacity for cross-sections	0,75 - 1,5 + 2,5 mm ²
	Capacity in square millimetres	0,5 - 2,5 mm ²
	AWG	1/0
	Length	200 mm
	Net weight	280 g

- 6 functions in one pair of pliers
- Multifunctional pliers for the electrical installation; to grip flat and round material, for bending, deburring, cutting cable, stripping and crimping wire end sleeves
- Smooth surfaces near the tips grip single cores without damaging them; serrated gripping surfaces and pipe grip for gripping flat and round material
- Clear-cut outside edge on the jaw for working on flush-mounted junction boxes and deburring feed-through holes
- Stripping holes for conductors of 0.75 - 1.5 mm² and 2.5 mm²
- Crimp die for wire end sleeves 0.5 - 2.5 mm²
- Cable shears with (induction-hardened) precision cutting edges for copper and aluminium cables up to 5 x 2.5 mm² / dia. 15 mm
- Slim dimensions for easy access

- Bolted joint: precise, zero backlash operation of pliers
- High-grade special tool steel, forged, multi stage oil-hardened



KNIPEX Pliers for Electrical Installation 13 86 200



technical change and errors excepted